universität innsbruck

supported by FUIF project P30301



CoCo 2020 Participant: FORT-h 0.9

Fabian Mitterwallner

Aart Middeldorp

Bertram Felgenhauer

FORT-h





FORT-h property TRS

yes | no | ?



property is arbitrary formula in first-order theory of rewriting

CoCo 2019 Categories (FORT)									
GCR	NFP	UNC	UNR	СОМ					

CoCo 201	9 Categ	ories (F	ORT)		
GCR	NFP	UNC	UNR	СОМ	1st place

CoCo 2020 Categories (FORT-h)										
GCR	NFP	UNC	UNR	СОМ						

Differences FORT and FORT-h

modified decision procedure



Differences FORT and FORT-h

- modified decision procedure
- supports linear variable-separated TRSs



Differences FORT and FORT-h

- modified decision procedure
- supports linear variable-separated TRSs
- more expressive theory ($\rightarrow_{>\epsilon}$)

Differences FORT and FORT-h

- modified decision procedure
- supports linear variable-separated TRSs
- more expressive theory ($\rightarrow_{>\epsilon}$)
- goal: certified results

Differences FORT and FORT-h

- modified decision procedure
- supports linear variable-separated TRSs
- more expressive theory ($\rightarrow_{>\epsilon}$)
- goal: certified results

http://cl-informatik.uibk.ac.at/software/FORT/

