

Moca 0.3

Yusuke Oi

Nao Hirokawa

Teppei Saito

JAIST

CoCo 2024

Maximal ordered completion with approximation

Would you like some coffee? Here it is!

Moca solves infeasibility problem $s \rightarrow^* t$ of CTRS \mathcal{R} as follows:

Maximal ordered completion with approximation

Would you like some coffee? Here it is!

Moca solves infeasibility problem $s \rightarrow^* t$ of CTRS \mathcal{R} as follows:

- 1 reformulate problem as $T \rightarrow^* F$ of $\mathcal{R} \cup \{T \rightarrow F \Leftarrow s \rightarrow^* t\}$

Maximal ordered completion with approximation

Would you like some coffee? Here it is!

Moca solves infeasibility problem $s \rightarrow^* t$ of CTRS \mathcal{R} as follows:

- 1 reformulate problem as $T \rightarrow^* F$ of $\mathcal{R} \cup \{T \rightarrow F \Leftarrow s \rightarrow^* t\}$
- 2 unravel/split-if CTRS into TRS \mathcal{R}'

Maximal ordered completion with approximation

Would you like some coffee? Here it is!

Moca solves infeasibility problem $s \rightarrow^* t$ of CTRS \mathcal{R} as follows:

- 1 reformulate problem as $T \rightarrow^* F$ of $\mathcal{R} \cup \{T \rightarrow F \Leftarrow s \rightarrow^* t\}$
- 2 unravel/split-if CTRS into TRS \mathcal{R}'
- 3 approximate infeasibility as word problem $T \approx_{\mathcal{R}'} F$

Maximal ordered completion with approximation

Would you like some coffee? Here it is!

Moca solves infeasibility problem $s \rightarrow^* t$ of CTRS \mathcal{R} as follows:

- 1 reformulate problem as $T \rightarrow^* F$ of $\mathcal{R} \cup \{T \rightarrow F \Leftarrow s \rightarrow^* t\}$
- 2 unravel/split-if CTRS into TRS \mathcal{R}'
- 3 approximate infeasibility as word problem $T \approx_{\mathcal{R}'} F$
- 4 approximate further (e.g., adding $f(x, y) \approx x$)

Maximal ordered completion with approximation

Would you like some coffee? Here it is!

Moca solves infeasibility problem $s \rightarrow^* t$ of CTRS \mathcal{R} as follows:

- 1 reformulate problem as $T \rightarrow^* F$ of $\mathcal{R} \cup \{T \rightarrow F \Leftarrow s \rightarrow^* t\}$
- 2 unravel/split-if CTRS into TRS \mathcal{R}'
- 3 approximate infeasibility as word problem $T \approx_{\mathcal{R}'} F$
- 4 approximate further (e.g., adding $f(x, y) \approx x$)
- 5 solve word problem by (maximal) ordered completion

Maximal ordered completion with approximation

Would you like some coffee? Here it is!

Moca solves infeasibility problem $s \rightarrow^* t$ of CTRS \mathcal{R} as follows:

- 1 reformulate problem as $T \rightarrow^* F$ of $\mathcal{R} \cup \{T \rightarrow F \Leftarrow s \rightarrow^* t\}$
- 2 unravel/split-if CTRS into TRS \mathcal{R}'
- 3 approximate infeasibility as word problem $T \approx_{\mathcal{R}'} F$
- 4 approximate further (e.g., adding $f(x, y) \approx x$)
- 5 solve word problem by (maximal) ordered completion

news: Moca meets CeTA!